



**HVAC** installation  
SOLUTIONS

**Dust Free®**  
Indoor Air Quality Systems

**IAQ**

**Filtration**

**Purification**

**UV Inactivation**





Designed to meet

**IAQ<sup>3</sup>**

THE INDOOR AIR  
QUALITY STRATEGY



#### — \* FILTRATION

Reduce dust, pollen, mold, and dander, as air circulates through your central air system.



#### — ☘ PURIFICATION

Active air purification using next generation technologies to reduce or inactivate indoor air pollutants such as odors, VOCs, and bacteria.<sup>1</sup>

#### — ☺ UV INACTIVATION

When professionally installed, UV-C light can inactivate specific, targeted bacteria where the UV-C light shines.<sup>2</sup>

# the full spectrum of indoor air quality demands.



## THE FULL LINE OF IAQ<sup>3</sup> AIR QUALITY MANAGEMENT PRODUCTS

✳ DUST FREE MAC-13

✳ DUST FREE MAC-11

✳ DUST FREE SIXTEEN

✳ ELECTROSTATIC AIR FILTERS

DUST FREE ACTIVE GOLD

DUST FREE CARBON

LIGHTSTICK GOLD

LIGHTSTICK, DUALITY,  
VERSALIGHT, ULTRA-FLEX,  
4XTREME, XL

The IAQ<sup>3</sup> platform integrates three levels of air quality products, each increasing the overall air quality of the space. The result is a dynamic air quality management strategy that provides an IAQ solution, custom-tailored to your specific needs.

The platform is the ultimate solution for indoor air quality. Each product works together to build a comprehensive filtration system, purification process and UV inactivation technology that will make indoor environment healthier by delivering high-quality filtered breathing air with less airborne contaminants such as dust, pollen, and microbials.

Action videos and full details [@ rs.today/dust-free](http://rs.today/dust-free)

<sup>1</sup>MS2 virus and *Staphylococcus epidermidis* bacteria.

<sup>2</sup>SARS COV-2, MS2 virus, *Bacillus thuringiensis* bacteria, *Aspergillus niger* mold, and *Serratia marcescens*.

EPA Establishment No. 73316-TX-1



Dust Free is a member of  
the Green Building Council.



## WHOLE HOME AIR PURIFICATION

### Dust Free® Active Gold

### UV-C Light/Ionization Total Home Air Purification



Code	Description	Qty
DF13070	Active Gold Air Purifier 6"	1
DF13071	Active Gold Air Purifier 12"	1
DF13074	Active Gold 6" Rep. Ionizing Cell w/ UV-C Lamp	1
DF13075	Active Gold 12" Rep. Ionizing Cell w/ UV-C Lamp	1
DF13076	Active Gold 6" Rep. UV-C Lamp	1
DF13077	Active Gold 12" Rep. UV-C Lamp	1
DF13078	Active Gold Magnetic Mounting Bracket Kit	1



#### FEATURES

- Dual active air purification technologies
- Reduces airborne particulate matter by improving the performance of your existing filtration system using millions of charged ions
- Redesigned ionizers produce more negatively-charged ions and increase ion density
- Effective against odors, VOC, and inactivates virus in the air
- 3000V surge protection
- Gasket-sealed mounting plate for easy installation and maintenance
- Auxiliary power port to power an additional 24V Germicidal UV-C light allowing to easily add an additional UV light to any HVAC system
- UL, CE, and FCC compliant
- UL 2998 - no ozone standards and is CARB certified
- Warranty: 7-yr power supply; 4-yr ionizing cell; 2-yr UV-C lamp

**APPLICATION** • The Dust Free Active Air purifier's unique, dual technologies target air quality problems at the source using germicidal UV-C and ionization systems to clean the air in your home. The UV-C light and ionization provide the comprehensive IAQ solution. Laboratory tests have also proven that the Dust Free Active can reduce airborne bacteria.

**RECOMMENDED FOR** • HVAC systems • Whole home air purification • Reducing dust, dander, VOC's, odors and other allergens



**WARNING:** This product can expose you to chemicals including mercury and mercury compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## WHOLE HOME AIR PURIFICATION



### Dust Free® Carbon

#### Carbon/UV-C light whole home air purification

Code	Description	Qty
DF13052	Carbon Air Purifier, 14"	1
DF13055	Repl. Lamp 14" Carbon Air Purifier	1
DF13073	Repl. Ballast Carbon	1
DF13056	Carbon Repl. Cell (No Lamp)	1

**APPLICATION** • Dust Free's new carbon technology is one of the industry's leading duct-mounted air purification processes that effectively reduces VOC's and Formaldehyde that can exist in indoor air.

**RECOMMENDED FOR** • HVAC systems • Whole home air purification  
• Reducing VOC, dosing mold and mildew on HVAC cooling coils

⚠ WARNING: This product can expose you to chemicals including mercury and mercury compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

#### FEATURES

- Proprietary Carbon/UV-C Light multistage technology
- Reduces Formaldehyde
- UL 2998 Certified and CARB listed
- Auxiliary power port to power an additional 24V Germicidal UV-C light allowing to easily add an additional UV light to any HVAC system
- Highest quality construction
- Compact
- Warranty: 7-yr limited; 1-yr on core; 2-yr lamp warranty



Models	Dimensions <sup>†</sup>	Power	Weight	Core
Dust Free Carbon 14"	6.5"H X 6"W X 14.5"L	††24VAC, 50/60Hz, 1.4A. 3000V surge protection.	Approx. 3 lbs	Ozone-free Carbon technology

† Mounting Plate: 8"H x 8"W. †† Expanded range ballast: 20V-32V.

### PTAC

#### PTAC/ETAC Air Purifier

Code	Description	Qty
DF10021	Dust Free PTAC 230V	1
DF09941	Repl. PTAC/ETAC Honeycomb catalyst cell	1
DF10022	PTAC 265V	1

**APPLICATION** • The Dust Free PTAC Air Purifier is specifically designed for PTAC/ETAC systems, and other space limited HVAC applications

**RECOMMENDED FOR** • Uniquely designed to install in tight places utilizing germicidal UV and PCO technologies

#### FEATURES

- UV purification technology improves indoor air quality
- Installs in PTAC/ETAC models up to 500 CFM
- Designed for PTAC/ETAC units utilized in hospitality applications





## Dust Free® Lightstick®

Code	Description	Qty
DF19300	Lightstick UV light (9,000 hours lamp life)	1
DF19301	Lightstick Gold UV light (18,000 hours lamp life)	1
DF19303	Repl. lamp 15" Lightstick Gold	1
DF09612	Lightstick Ballast 24V	1
DF19302	Replacement lamp 15" lightstick	1

### FEATURES

- Inactivates SARS CoV-2, bacteria,<sup>1</sup> and mold on surfaces where the light shines when professionally installed<sup>2</sup>
- Expanded range ballast operates over a range of 20V to 32V and offers 3000V surge protection
- Direct Connect™ custom design allows lamp to be installed directly in A-coil delta plate for optimal UV exposure
- Professionally engineered injection molded thermoplastic co-polymer high-strength power supply
- Highest UVC output compared to other 24V UV fixtures
- Warranty:  
Lightstick - 4-yr limited; 1-yr lamp  
Lightstick Gold - 7-yr limited; 2-yr lamp

### Germicidal UV lights

**APPLICATION** • The Dust Free Lightstick series, Lightstick and Lightstick Gold, have been redesigned from the ground up using the highest quality components. The series' professionally engineered injection molded thermoplastic co-polymer high strength ballast design and comprehensive HALT testing provide improved reliability. The Lightstick and Lightstick Gold utilize low mercury lamps that are better for the environment and provide high ambient temperature operation.

**RECOMMENDED FOR** • Any residential HVAC system • Works with your air filter 24/7 to disinfect cooling coils, drain pans, and duct surfaces



<sup>1</sup>MS2 virus and Staphylococcus epidermidis bacteria.  
<sup>2</sup>SARS COV-2, MS2 virus, Bacillus thuringiensis bacteria, Aspergillus niger mold, and Serratia marcescens.



## UV INACTIVATION

# Bio-Fighter® 4Xtreme

## Commercial UV light

Code	Description	Qty
DF06159	UV Unit BF 4Xtreme Roof Top 21	1
DF06160	UV Unit BF 4Xtreme Roof Top 33	1
DF06168	UV Unit BF 4Xtreme Roof Top 45	1
DF06180	Lamp single Replacement 21" 4Xtreme	1
DF06181	Lamp 6-PAK Replacement 21" 4Xtreme	1
DF06182	Lamp single Replacement 33" 4Xtreme	1
DF06183	Lamp 6-PAK Replacement 33" 4Xtreme	1
DF06184	Lamp single Replacement 45" 4Xtreme	1
DF06185	Lamp 6-PAK Replacement 45" 4Xtreme	1
DF06190	Ballast Replacement Kit 4Xtreme mod	1
DF06308	Sub-Assembly 4Xtreme base unit	



### FEATURES

- NEMA 4X rated housing protects internal components and chemicals against moisture and corrosion
- Suitable for extreme indoor/ outdoor applications
- Large T6 HO lamps are custom designed with cathode rings to maximize UV-C power and efficiency
- Tilt-lamp feature increases the amount of UV-C dosage into water located in the drain pan
- Safety interlock switch on cover ensures user safety by preventing unit operation while cover is open
- Warranty: 3-yr limited; 1-yr lamp

**APPLICATION** • Whether it is Mother Nature or a splash of coil cleaner, the Bio-Fighter 4Xtreme rooftop UV-C fixture, equipped with a UL listed NEMA 4X interlocked enclosure, can handle the harshest of HVAC environments.

**RECOMMENDED FOR** • Commercial HVAC systems • Indoor and outdoor applications • Rooftop AHU applications





## UV INACTIVATION

# Bio-Fighter® Ultra-Flex

## Premium Residential UV light

Code	Description	Qty
DF09007	Bio-Fighter Ultra-Flex 16", Dual lamp, 2S16 (2SUF16)	1
DF06198	Ultra-flex remote lamp assembly	1



### FEATURES

- Adaptive electronic ballast senses input voltage and automatically adjusts for 120V to 240V power
- Extra long 6-ft lamp cables with moisture boot seals lamp connections against moisture in high humidity environments
- User-friendly slide-clip lamp retention system makes bulb replacement easier
- Air handler viewport makes it easy to monitor lamp operation in every application
- Stainless steel remote-lamp housing protects lamp connection assembly from accidental damage
- External fuse and lighted On/Off switch for easy and safe operation
- Warranty: 5-yr limited; 1-yr lamp

**APPLICATION** • The Bio-Fighter Ultra-Flex offers a tremendously flexible platform for HVAC UV-C applications. Multi-input voltage, remote mount lamp capability, and multiple lamp lengths allow for a bespoke UV-C solution.

**RECOMMENDED FOR** • Residential HVAC systems • Can be mounted anywhere in the HVAC system or duct work • Dual lamp units are recommended for A-coil and return air applications



# Bio-Fighter® VersaLight

## High-output UV light

Code	Description	Qty
DF06153	Bio-Fighter VersaLight 16in, Single lamp (1SVL16)	1
DF06154	Bio-Fighter VersaLight 16in, Dual lamp (2SVL16)	1
DF06033	UV light bulb replacement 20"	1
DF06157	Replacement lamp single 14"	1
DF06032	UV light bulb replacement 16"	1



### FEATURES

- Single or dual remote-mount capability allows flexibility in unit location and application
- Smart ballast technology senses input voltage and automatically adjusts for 120V to 240V power
- Moisture boot seals lamp connections against moisture in high humidity environments
- Custom designed HO lamps offer greater durability while emitting higher levels of disinfecting UV-C light
- Lighted On/Off switch and external fuse are conveniently located
- Warranty: 3-yr limited; 1-yr lamp

**APPLICATION** • The VersaLight provides the installing contractor with a remote-mounted lamp capability that allows placement of one, or two, of the HO lamps anywhere within 6 feet of the VersaLight's chassis. This remote feature, coupled with the VersaLight's multi-input voltage power supply that can handle 120V to 240V, makes the VersaLight the "One size fits All" UV-C fixture.

**RECOMMENDED FOR** • HVAC systems • Can be mounted anywhere in the HVAC system or ductwork • Single lamp is suitable for slab coil applications 3 tons or less, and 1200 CFM or less • Dual lamp units are recommended for A-coil and return air applications





## UV INACTIVATION

# Dust Free® Duality®

UV light for ductless mini-split systems

Code	Description	Qty
DF19200	Duality UV	1
DF19201	Duality Replacement LED array	1

### FEATURES

- Dual UV LED arrays
- Dual UV spectrums, UV-A and UV-C irradiation
- Dual sanitizing options, VOC filter and UV coil scrubbing
- Dual input voltage, 120VAC or 230VAC
- Zero ozone emissions
- Easy installation; Hassle-free setup with universal compatibility for ductless systems
- Easy clip-on airflow sensor automatically and proactively powers unit on/off
- Durable 3M adhesives fit every installation need
- EMC and LVD tested and qualified for safe indoor applications
- Warranty: 5-yr limited

**APPLICATION** • Designed to fit and function in compact areas of HVAC components • Germicidal ultraviolet (UVGI) helps inactivate viruses and bacteria on damp surfaces ensuring the optimal efficiency of HVAC systems • Combines UV-C light and photocatalytic oxidation to neutralize odors and volatile organic compounds (VOCs)

**RECOMMENDED FOR** • Ductless mini-split systems • Areas where space is a premium





## UV INACTIVATION

# Bio-Fighter® XL

Commercial UV light for large applications

Code	Description	Qty
DF06170	Bio-Fighter XL-21" (120v)	1
DF06172	Bio-Fighter XL-33" (120v)	1
DF06174	Bio-Fighter XL-45" (120v)	1
DF06176	Bio-Fighter XL-61" (120v)	1
DF06178	Bio-Fighter XL-21" (230v)	1
DF06188	Bio-Fighter XL-45" (230v)	1
DF06189	Bio-Fighter XL-61" (230v)	1

**APPLICATION** • Large commercial coils require large UV-C fixtures to maximize surface area coverage efficiently. The Bio-Fighter XL is uniquely qualified for extra-large applications with lamp lengths up to five feet and a class-leading reflector surface area to cost effectively apply a high dose of UV-C energy.

**RECOMMENDED FOR** • Commercial HVAC systems • Large commercial cooling coils • Large applications with extra long lamp lengths



### FEATURES

- Extra long lamps to maximize exposure over large commercial cooling coils
- New magnetic mounting makes installation quicker than ever
- Highly polished aluminum reflector focuses more UV-C light toward coil
- Large T6 lamps are custom designed with cathode rings to maximize UV-C power and efficiency
- Multiple conduit locations on chassis allow for flexible installations
- Warranty: 3-yr limited; 1-yr lamp



Models	Dimensions <sup>†</sup>	Power	Lamp/Lamp Life	Weight
Lightstick	1.75"H X 3.16"W X 4.75"L	24VAC (Expanded range ballast: 20V-32V), 50/60Hz, 1.4A. 3000V surge protection. 3ft power cord. 4ft lamp cord.	15" / 9,000-hr	2.6 – 3 lbs
Lightstick Gold			15" / 18,000-hr	
Ultra-Flex	2"H x 4"W x 9.25)L	120-240VAC, 50/60Hz, 6ft power cord.	14"-16" / 9,000-hr	4 lbs
4Xtreme	4.25"H x 8"W x 11.56)L	120-240VAC, 50/60Hz, 0.90A/0.50A.	21", 33", 45" / 9,000-hr	8.2 lbs
VersaLight	2.5"H x 5"W x 13)L	120-240VAC, 50/60Hz, 0.90A/0.50A.	14", 16", 20" / 9,000-hr. Single and dual lamp.	5.75 – 6 lbs
XL	2.5"H x 3.375"W x 24"-64)L	120-230VAC, 50/60Hz, 1.15A/0.60A.	21", 33", 45", 61" / 9,000-hr	3.9 – 8.3 lbs
Duality	Power Supply: 4" L X 2.3" W X 1" H LED Strips: 8.8" L X 0.4" W VOC Filter: 7.8" L X 2.3" W X 0.1" H	90-240VAC	4" / 50,000-hr	1.1 lb



### Dust Free® MAC 13

Best in class media air cleaner

Code	Description	Qty
<b>MAC 13 Cabinet with Standard Filters</b>		
DF11078	MAC 13 Cabinet MERV 13 with Standard Filter 25" x 22"	1
DF11079	MAC 13 Cabinet MERV 13 with Standard Filter 17" x 22"	1
DF11086	MAC 13 Cabinet MERV 13 with Standard Filter 16" x 25"	1
DF11087	MAC 13 Cabinet MERV 13 with Standard Filter 20" x 20"	1
DF11088	MAC 13 Cabinet MERV 13 with Standard Filter 20" x 25"	1
<b>Standard Replacement Filters</b>		
DF12594	Merv 13 Standard Pleat Filter Replacement 14"x25"	1
DF11096	Merv 13 Standard Pleat Filter Replacement 16"x20"	1
DF11097	Merv 13 Standard Pleat Filter Replacement 16"x25"	1
DF11098	Merv 13 Standard Pleat Filter Replacement 20"x20"	1
DF11099	Merv 13 Standard Pleat Filter Replacement 20"x25"	1
<b>MAC 13 Cabinet with Carbon Filters</b>		
DF12598	MAC 13 Cabinet MERV 13 with Carbon Filter 14"x25"	1
DF11080	MAC 13 Cabinet MERV 13 with Carbon Filter 16"x25"	1
DF11081	MAC 13 Cabinet MERV 13 with Carbon Filter 20"x20"	1
DF11082	MAC 13 Cabinet MERV 13 with Carbon Filter 20"x25"	1
DF11083	MAC 13 Cabinet MERV 13 with Carbon Filter 17"x22"	1
DF11084	MAC 13 Cabinet MERV 13 with Carbon Filter 21"x22"	1
DF11085	MAC 13 Cabinet MERV 13 with Carbon Filter 25"x22"	1
<b>Carbon Replacement Filters</b>		
DF12597	Merv 13 Carbon Pleat Filter Replacement 14"x25"	1
DF11089	Merv 13 Carbon Pleat Filter Replacement 16"x20"	1
DF11090	Merv 13 Carbon Pleat Filter Replacement 16"x25"	1
DF11091	Merv 13 Carbon Pleat Filter Replacement 20"x20"	1
DF11092	Merv 13 Carbon Pleat Filter Replacement 20"x25"	1

#### FEATURES

- MERV 13 filter
- Sized for air handlers and furnaces
- Quick filter media replacement
- Two-stage filter seal on cabinet door
- Available with carbon filters
- Minimal air leakage design
- Effective in trapping household dust, pollen, and other allergens more effective than traditional filter media
- Provide the best balance between sub-micron filtration and air flow
- Lowest pressure drop MERV 13 filter at 0.24 w.c.
- Warranty: Limited lifetime on cabinet only



**APPLICATION** • Dust Free's Media Air Cleaners utilize a best in class MERV 13 filter that traps more airborne particles than traditional disposable fiberglass filters. Not only is it effective in reducing airborne household dust, mold spores, pollen, and other allergens, the ASHRAE 52.2 tested MERV 13 media allows adequate air flow for high SEER HVAC equipment.

**RECOMMENDED FOR** • HVAC systems • All forced warm air furnaces and cooling systems up to 5 tons • Trapping household dust, pollen, and other allergens



## HIGH EFFICIENCY MEDIA AIR CLEANERS

### Dust Free® MAC 11

Media air cleaner for indoor air improvement

Code	Description	Qty
<b>MAC 11 Cabinet with Standard Filters</b>		
DF12580	MAC 11 Cabinet MERV 11 w/Standard Filter 16"x25"	1
DF12581	MAC 11 Cabinet MERV 11 w/Standard Filter 20"x20"	1
DF12582	MAC 11 Cabinet MERV 11 w/Standard Filter 20"x25"	1
DF12583	MAC 11 Cabinet MERV 11 w/Standard Filter 17"x22"	1
DF12584	MAC 11 Cabinet MERV 11 w/Standard Filter 21"x22"	1
DF12585	MAC 11 Cabinet MERV 11 w/Standard Filter 25"x22"	1
DF12590	MAC 11 Cabinet MERV 11 w/Standard Filter 14"x25"	1
DF12591	MAC 11 Cabinet MERV 11 w/Standard Filter 25"x25"	1
<b>MAC 11 Replacement Filters</b>		
DF12579	MAC 11 Replacement Filter 25" x 25" x 4"	1
DF12586	MAC 11 Replacement Filter 15" x 19" x 4"	1
DF12587	MAC 11 Replacement Filter 15" x 24" x 4"	1
DF12588	MAC 11 Replacement Filter 19" x 19" x 4"	1
DF12589	MAC 11 Replacement Filter 19" x 24" x 4"	1
DF12592	MAC 11 Replacement Filter 13" x 19" x 4"	1

#### FEATURES

- MERV 11 filter
- Sized for air handlers and furnaces
- Quick filter media replacement
- Two-stage filter seal on cabinet door
- Minimal air leakage design
- Effective in reducing household dust, pollen, and other allergens more effective than traditional filter media
- Warranty: Limited lifetime on cabinet only



Models	Efficiency	Resistance	Media	Cabinet	Dimensions (D x H x W)
Dust Free MERV 11	MERV 11	--	Pleated	Galvanized steel.	27.13" x 17.00" x 6.56" 22.13" x 21.00" x 6.56" 27.13" x 21.00" x 6.56" 22.13" x 22.00" x 6.56" 22.13" x 22.00" x 6.56" 22.13" x 25.25" x 6.56"
Dust Free MERV 13	MERV 13	0.24"	Pleated	Painted steel.	



## Permanent Air Filters

### A lifetime of cleaner air in your home.

The wise investment of a Permanent Air Filter for your home can protect it from everyday pollutants like dust and pollen.

Dust Free filters use multiple layers with electrostatically-charged filtration media that capture these particles as well as any other harmful particulates in the air around you!

The Dust Free permanent air filter uses self-charging electrostatic filtration media to reduce indoor air pollutants as the air circulates through the HVAC system. Regular cleaning with water and household detergent will keep them operating at peak efficiency for a lifetime.

#### FEATURES

- Made in the USA with precise manufacturing techniques and attention to detail
- Drain holes allow water to drain quickly for faster drying after cleaning
- Available in multiple standard sizes in 1 or 2 frames
- Custom and adjustable sizes available
- High-strength extruded aluminum frame
- Pull tabs for easy removal for maintenance
- Durable construction for even the most powerful HVAC systems
- Multiple filtration layers
- Patented configuration alternate polarity, self-charging layers of media

DUST FIGHTER® 90



DUST FIGHTER® 95



ALLERGY GOLD®



MAXaire GOLD®



ENVIROGREEN™ 8 PLEAT



Models	Efficiency <sup>†</sup>	Resistance <sup>††</sup>	Media	Frame	Sizes
Dust Fighter 95	95%	0.15	5 Layers	Aluminum	40 standard sizes. 1", 2", and adjustable sizes. .
Dust Fighter 90	90%	0.12	3 Layers		
Allergy Gold	90%	0.12"	3 Layers		
MAXaire Gold	81%	0.08"	3 Layers		
EnviroGREEN 8 Pleat	MERV 8	0.17"	Pleated V-Core	Green-anodized aluminum	33 standard sizes. Custom sizes up to 600 sq in.

<sup>†</sup>Except for EnviroGREEN 8 pleat, efficiency represents peak arrestance as tested to ASHRAE 52-76 test procedures. <sup>††</sup> Initial resistance @ 1200 CFM.

## PERMANENT AIR FILTERS

### Dust Fighter® 95

Highest performance electrostatic air filter



The Dust Fighter® 95 permanent air filter uses self-charging electrostatic filtration media to reduce indoor air pollutants as the air circulates through the HVAC system. Regular cleaning with water and household detergent will keep the air filter operating at peak efficiency for a lifetime.

- 40 standard sizes. 1", 2", and adjustable sizes.
- 95% peak. 93% average.<sup>1</sup>
- 0.15" initial resistance @ 1200CFM
- 100 grams at 0.5" w.g. 130 grams at 1" w.g.
- 5 layers
- Extruded aluminum



1. As tested to ASHRAE 52-76 test procedures.

Code	Description	Qty	Code	Description	Qty
DF925-0338-010	Filter Permanent DF95 10x20x1	1	DF925-0338-052	Filter Permanent DF95 16x16x2	1
DF925-0338-011	Filter Permanent DF95 12x12x1	1	DF925-0338-053	Filter Permanent DF95 16x20x2	1
DF925-0338-012	Filter Permanent DF95 12x20x1	1	DF925-0338-054	Filter Permanent DF95 16x24x2	1
DF925-0338-013	Filter Permanent DF95 12x24x1	1	DF925-0338-055	Filter Permanent DF95 16x25x2	1
DF925-0338-014	Filter Permanent DF95 12x30x1	1	DF925-0338-056	Filter Permanent DF95 18x18x2	1
DF925-0338-015	Filter Permanent DF95 12x36x1	1	DF925-0338-059	Filter Permanent DF95 20x20x2	1
DF925-0338-016	Filter Permanent DF95 14x14x1	1	DF925-0338-060	Filter Permanent DF95 20x24x2	1
DF925-0338-017	Filter Permanent DF95 14x20x1	1	DF925-0338-061	Filter Permanent DF95 20x25x2	1
DF925-0338-018	Filter Permanent DF95 14x24x1	1	DF925-0338-062	Filter Permanent DF95 20x30x2	1
DF925-0338-019	Filter Permanent DF95 14x25x1	1	DF925-0338-063	Filter Permanent DF95 24x24x2	1
DF925-0338-020	Filter Permanent DF95 14x30x1	1	DF925-0338-064	Filter Permanent DF95 24x30x2	1
DF925-0338-021	Filter Permanent DF95 15x20x1	1	DF925-0338-065	Filter Permanent DF95 25x25x2	1
DF925-0338-022	Filter Permanent DF95 16x16x1	1	DF925-0338-073	Filter Permanent DF95 10x10x1	1
DF925-0338-023	Filter Permanent DF95 16x20x1 (19P89)	1	DF925-0338-074	Filter Permanent DF95 10x24x1	1
DF925-0338-024	Filter Permanent DF95 16x24x1	1	DF925-0338-075	Filter Permanent DF95 10x30x1	1
DF925-0338-025	Filter Permanent DF95 16x25x1 (19P90)	1	DF925-0338-076	Filter Permanent DF95 12x25x1	1
DF925-0338-026	Filter Permanent DF95 18x18x1	1	DF925-0338-077	Filter Permanent DF95 15x25x1	1
DF925-0338-027	Filter Permanent DF95 18x24x1	1	DF925-0338-078	Filter Permanent DF95 16x30x1	1
DF925-0338-028	Filter Permanent DF95 18x25x1	1	DF925-0338-079	Filter Permanent DF95 16x32x1	1
DF925-0338-029	Filter Permanent DF95 20x20x1 (19P91)	1	DF925-0338-080	Filter Permanent DF95 16x36x1	1
DF925-0338-030	Filter Permanent DF95 20x24x1	1	DF925-0338-081	Filter Permanent DF95 18x30x1	1
DF925-0338-031	Filter Permanent DF95 20x25x1 (19P92)	1	DF925-0338-082	Filter Permanent DF95 18x36x1	1
DF925-0338-032	Filter Permanent DF95 20x30x1	1	DF925-0338-084	Filter Permanent DF95 20x32x1	1
DF925-0338-033	Filter Permanent DF95 24x24x1 (27P66)	1	DF925-0338-085	Filter Permanent DF95 21x21x1	1
DF925-0338-034	Filter Permanent DF95 24x30x1	1	DF925-0338-091	Filter Permanent DF95 16x30x2	1
DF925-0338-035	Filter Permanent DF95 25x25x1	1	DF925-0338-094	Filter Permanent DF95 18x20x2	1
DF925-0338-041	Filter Permanent DF95 12x12x2	1	DF925-0338-095	Filter Permanent DF95 18x30x2	1
DF925-0338-042	Filter Permanent DF95 12x20x2	1	DF925-0338-096	Filter Permanent DF95 18x36x2	1
DF925-0338-043	Filter Permanent DF95 12x24x2	1	DF925-0338-100	Filter Permanent DF95 18x20x1	1
DF925-0338-046	Filter Permanent DF95 14x14x2	1	DF925-0339-003	Filter Permanent DF95 Fastrack 20x25	1
DF925-0338-047	Filter Permanent DF95 14x20x2	1	DF925-0339-004	Filter Permanent DF95 Fastrack 24x30	1
DF925-0338-048	Filter Permanent DF95 14x24x2	1			
DF925-0338-051	Filter Permanent DF95 15x20x2	1			

## PERMANENT AIR FILTERS

### Dust Fighter 90

High performance electrostatic air filter



The Dust Fighter® 90 permanent air filter uses self-charging electrostatic filtration media to reduce indoor air pollutants as the air circulates through the HVAC system. Regular cleaning with water and household detergent will keep the air filter operating at peak efficiency for a lifetime.

- 40 standard sizes, 1", 2", and adjustable sizes.
- 90% peak, 89% average.<sup>1</sup>
- 0.12" initial resistance @ 1200CFM
- 85 grams at 0.5" w.g. 125 grams at 1" w.g.
- 3 layers
- Extruded aluminum



1. As tested to ASHRAE 52-76 test procedures.

Code	Description	Qty	Code	Description	Qty
DF925-0333-001	Filter permanent DF90 10x20x1	1	DF925-0333-043	Filter permanent DF90 15x20x1	1
DF925-0333-002	Filter Permanent DF90 12x24x1	1	DF925-0333-044	Filter permanent DF90 16x16x1	1
DF925-0333-003	Filter permanent DF90 14x20x1	1	DF925-0333-045	Filter permanent DF90 16x24x1	1
DF925-0333-004	Filter permanent DF90 14x24x1	1	DF925-0333-046	Filter permanent DF90 24x30x1	1
DF925-0333-005	Filter permanent DF90 14x25x1	1	DF925-0333-207	Filter permanent DF90 12x24x2	1
DF925-0333-006	Filter permanent DF90 14x30x1	1	DF925-0333-211	Filter permanent DF90 14x14x2	1
DF925-0333-007	Filter permanent DF90 16x20x1	1	DF925-0333-212	Filter permanent DF90 14x20x2	1
DF925-0333-008	Filter permanent DF90 16x25x1	1	DF925-0333-213	Filter permanent DF90 14x24x2	1
DF925-0333-009	Filter permanent DF90 18x18x1	1	DF925-0333-214	Filter permanent DF90 14x25x2	1
DF925-0333-010	Filter permanent DF90 18x24x1	1	DF925-0333-217	Filter permanent DF90 15x25x2	1
DF925-0333-011	Filter permanent DF90 18x25x1	1	DF925-0333-218	Filter permanent DF90 16x16x2	1
DF925-0333-012	Filter permanent DF90 20x20x1	1	DF925-0333-219	Filter permanent DF90 16x20x2	1
DF925-0333-013	Filter permanent DF90 20x24x1	1	DF925-0333-221	Filter permanent DF90 16x25x2	1
DF925-0333-014	Filter permanent DF90 20x25x1	1	DF925-0333-222	Filter permanent DF90 16x30x2	1
DF925-0333-015	Filter permanent DF90 20x30x1	1	DF925-0333-226	Filter permanent DF90 18x20x2	1
DF925-0333-016	Filter permanent DF90 24x24x1	1	DF925-0333-227	Filter permanent DF90 18x24x2	1
DF925-0333-017	Filter permanent DF90 25x25x1	1	DF925-0333-232	Filter permanent DF90 20x20x2	1
DF925-0333-024	Filter permanent DF90 10x10x1	1	DF925-0333-233	Filter permanent DF90 20x24x2	1
DF925-0333-027	Filter permanent DF90 12x25x1	1	DF925-0333-234	Filter permanent DF90 20x25x2	1
DF925-0333-028	Filter permanent DF90 15x25x1	1	DF925-0333-235	Filter permanent DF90 20x30x2	1
DF925-0333-029	Filter permanent DF90 16x30x1	1	DF925-0333-238	Filter permanent DF90 24x24x2	1
DF925-0333-030	Filter permanent DF90 16x32x1	1	DF925-0333-239	Filter permanent DF90 24x30x2	1
DF925-0333-032	Filter permanent DF90 18x30x1	1	DF925-0333-227	Dust Fighter 90 Filter, 18x24x2	1
DF925-0333-033	Filter permanent DF90 18x36x1	1	DF925-0333-232	Dust Fighter 90 Filter, 20x20x2	1
DF925-0333-037	Filter permanent DF90 18x20x1	1	DF925-0333-233	Dust Fighter 90 Filter, 20x24x2	1
DF925-0333-038	Filter permanent DF90 12x12x1	1	DF925-0333-234	Dust Fighter 90 Filter, 20x25x2	1
DF925-0333-039	Filter permanent DF90 12x20x1	1	DF925-0333-235	Dust Fighter 90 Filter, 20x30x2	1
DF925-0333-040	Filter permanent DF90 12x30x1	1	DF925-0333-238	Dust Fighter 90 Filter, 24x24x2	1
DF925-0333-041	Filter permanent DF90 12x36x1	1	DF925-0333-239	Dust Fighter 90 Filter, 24x30x2	1
DF925-0333-042	Filter permanent DF90 14x14x1	1	DF925-0333-033	Dust Fighter 90 Filter, 18x36x1	1

## PERMANENT AIR FILTERS

### Allergy Gold®



#### Washable & reusable electrostatic air filter

The Allergy Gold is engineered to capture large airborne pollen, mold spores, and house dust while allowing adequate air flow for today's high SEER equipment. The Allergy Gold is 100% washable and reusable, so it is good for the outdoor environment too.

- 90% Peak Arrestance
- 89% Average Arrestance
- .12" Initial Resistance at 1200 CFM
- 85 grams Dust Holding Capacity at .5" w.g.
- 125 grams Dust Holding Capacity at 1" w.g.



Code	Description	Qty	Code	Description	Qty
DF925-0403-002	Filt Perm Allergy Gold 10x10x1	1	DF925-0403-022	Filt Perm Allergy Gold 16x25x1	1
DF925-0403-003	Filt Perm Allergy Gold 10x20x1	1	DF925-0403-023	Filt Perm Allergy Gold 16x30x1	1
DF925-0403-004	Filt Perm Allergy Gold 10x24x1	1	DF925-0403-025	Filt Perm Allergy Gold 16x36x1	1
DF925-0403-005	Filt Perm Allergy Gold 10x30x1	1	DF925-0403-026	Filt Perm Allergy Gold 18x18x1	1
DF925-0403-006	Filt Perm Allergy Gold 12x12x1	1	DF925-0403-027	Filt Perm Allergy Gold 18x20x1	1
DF925-0403-007	Filt Perm Allergy Gold 12x20x1	1	DF925-0403-028	Filt Perm Allergy Gold 18x24x1	1
DF925-0403-008	Filt Perm Allergy Gold 12x24x1	1	DF925-0403-029	Filt Perm Allergy Gold 18x25x1	1
DF925-0403-009	Filt Perm Allergy Gold 12x25x1	1	DF925-0403-030	Filt Perm Allergy Gold 18x30x1	1
DF925-0403-010	Filt Perm Allergy Gold 12x30x1	1	DF925-0403-031	Filt Perm Allergy Gold 18x36x1	1
DF925-0403-011	Filt Perm Allergy Gold 12x36x1	1	DF925-0403-033	Filt Perm Allergy Gold 20x20x1	1
DF925-0403-012	Filt Perm Allergy Gold 14x14x1	1	DF925-0403-034	Filt Perm Allergy Gold 20x24x1	1
DF925-0403-013	Filt Perm Allergy Gold 14x20x1	1	DF925-0403-035	Filt Perm Allergy Gold 20x25x1	1
DF925-0403-014	Filt Perm Allergy Gold 14x24x1	1	DF925-0403-036	Filt Perm Allergy Gold 20x30x1	1
DF925-0403-015	Filt Perm Allergy Gold 14x25x1	1	DF925-0403-038	Filt Perm Allergy Gold 21x21x1	1
DF925-0403-016	Filt Perm Allergy Gold 14x30x1	1	DF925-0403-039	Filt Perm Allergy Gold 24x24x1	1
DF925-0403-017	Filt Perm Allergy Gold 15x20x1	1	DF925-0403-040	Filt Perm Allergy Gold 24x30x1	1
DF925-0403-018	Filt Perm Allergy Gold 15x25x1	1	DF925-0403-041	Filt Perm Allergy Gold 25x25x1	1
DF925-0403-019	Filt Perm Allergy Gold 16x16x1	1	DF925-0403-047	Filt Perm Allergy Gold ADJ 20x25x1	1
DF925-0403-020	Filt Perm Allergy Gold 16x20x1	1	DF925-0403-048	Filt Perm Allergy Gold ADJ 24x30x1	1
DF925-0403-021	Filt Perm Allergy Gold 16x24x1	1			

## PERMANENT AIR FILTERS

### MAXaire® Gold



#### Low air resistance electrostatic air filter

Today's high efficiency heat pumps and air conditioners require proper air flow. Without proper air flow, systems become inefficient, or in some cases may require major repairs. Consequently, electrostatic air filters must have arrestance to keep dust and other pollutants from accumulating on the coils and in the air. The MAXaire Gold electrostatic air filter has this special combination. It provides high arrestance at an industry leading 0.08" initial resistance.

- 81% Peak Arrestance
- 78% Average Arrestance
- .08 Initial Resistance at 1200 CFM
- 140 grams Dust Holding Capacity at .5 w.g.
- 170 grams Dust Holding Capacity at 1 w.g.




Code	Description	Qty	Code	Description	Qty
DF925-0420-001	Filt permanent MAXaire 10x10x1	1	DF925-0420-021	Filt permanent MAXaire 16x25x1	1
DF925-0420-002	Filt permanent MAXaire 10x20x1	1	DF925-0420-022	Filt permanent MAXaire 16x30x1	1
DF925-0420-003	Filt permanent MAXaire 10x24x1	1	DF925-0420-023	Filt permanent MAXaire 16x32x1	1
DF925-0420-004	Filt permanent MAXaire 10x30x1	1	DF925-0420-024	Filt permanent MAXaire 16x36x1	1
DF925-0420-005	Filt permanent MAXaire 12x12x1	1	DF925-0420-025	Filt permanent MAXaire 18x18x1	1
DF925-0420-006	Filt permanent MAXaire 12x20x1	1	DF925-0420-026	Filt permanent MAXaire 18x20x1	1
DF925-0420-007	Filt permanent MAXaire 12x24x1	1	DF925-0420-027	Filt permanent MAXaire 18x24x1	1
DF925-0420-009	Filt permanent MAXaire 12x30x1	1	DF925-0420-029	Filt permanent MAXaire 18x30x1	1
DF925-0420-011	Filt permanent MAXaire 14x14x1	1	DF925-0420-032	Filt permanent MAXaire 20x20x1	1
DF925-0420-012	Filt permanent MAXaire 14x20x1	1	DF925-0420-033	Filt permanent MAXaire 20x24x1	1
DF925-0420-013	Filt permanent MAXaire 14x24x1	1	DF925-0420-034	Filt permanent MAXaire 20x25x1	1
DF925-0420-014	Filt permanent MAXaire 14x25x1	1	DF925-0420-035	Filt permanent MAXaire 20x30x1	1
DF925-0420-015	Filt permanent MAXaire 14x30x1	1	DF925-0420-038	Filt permanent MAXaire 24x24x1	1
DF925-0420-016	Filt permanent MAXaire 15x20x1	1	DF925-0420-039	Filt permanent MAXaire 24x30x1	1
DF925-0420-018	Filt permanent MAXaire 16x16x1	1	DF925-0420-040	Filt permanent MAXaire 25x25x1	1
DF925-0420-019	Filt permanent MAXaire 16x20x1	1	DF925-0421-001	MAXaire Adj. Filter 20x25x1	1
DF925-0420-020	Filt permanent MAXaire 16x24x1	1	DF925-0421-002	MAXaire Adj. Filter 24x30x1	1

## PERMANENT AIR FILTERS

### EnviroGREEN™ 8 Pleat

MERV 8 reusable pleated air filter




The first MERV 8 reusable pleated filter, EnviroGREEN 8 Pleat combines the high efficiency filtration of the throwaway type pleated filter, with the environmental consciousness of a permanent, washable type air filter. Its reusable, washable pleated filter means you will not need to throw another filter into your local landfill for 5 years.

The anodized aluminum frame is guaranteed for life and is designed for easy, "no tools" access to the reusable V-Clean filter media.

- First reusable, washable, MERV 8 pleated filter
- .17" w.g. Initial Resistance
- 100% Recyclable
- Lifetime anodized aluminum frame
- Proprietary asymmetrical "V-Clean" filter core technology is made from completely recyclable materials
- "No tools required" frame design allows for quick removal of the proprietary V-Clean filter core for deep cleaning
- Warranty: 5-yr limited on filter core



Code	Description	Qty	Code	Description	Qty
DF07500	Filter EnviroGREEN 8 Pleat 10x10	1	DF07532	Filter EnviroGREEN 8 Pleat 20x24	1
DF07506	Filter EnviroGREEN 8 Pleat 12x24	1	DF07533	Filter EnviroGREEN 8 Pleat 20x25	1
DF07509	Replacement pads EnviroGREEN 8 Pleat	1	DF07536	Filter EnviroGREEN 8 Pleat 24x24	1
DF07510	Filter EnviroGREEN 8 Pleat 14x14	1	DF07538	Filter EnviroGREEN 8 Custom	1
DF07512	Filter EnviroGREEN 8 Pleat 14x24	1	DF07539	Filter EnviroGREEN 8 Pleat Custom	1
DF07514	Filter EnviroGREEN 8 Pleat 14x30	1	DF07532	EnviroGREEN 8 Pleated Filter, 20x24	1
DF07518	Filter EnviroGREEN 8 Pleat 16x20	1	DF07533	EnviroGREEN 8 Pleated Filter, 20x25	1
DF07519	Filter EnviroGREEN 8 Pleat 16x24	1	89134	EnviroGREEN 8 Pleated Filter, 20x30	1
DF07520	Filter EnviroGREEN 8 Pleat 16x25	1	DF07536	EnviroGREEN 8 Pleated Filter, 24x24	1
DF07531	Filter EnviroGREEN 8 Pleat 20x20	1			



## HIGH EFFICIENCY MEDIA AIR CLEANERS

### Sixteen

#### Premium MERV 16 media air cleaner

Code	Description	Qty
DF08611	DF Sixteen 3-Ton	1
DF08610	DF Sixteen 5-Ton	1
DF08600	DF Sixteen 3-Ton Replacement Filter Kit	1
DF08601	DF Sixteen 5-Ton Replacement Filter Kit	1


#### FEATURES

- Superior in capturing household allergens, as well as fine smoke particles and bacteria as small as 0.3 microns
- Long lasting filters utilize up to 280 sq.ft of media and for up to 3 years
- Best performing pressure drop for lower energy consumption, and longer equipment life
- SEER 2 compliant
- Corrosion-resistant materials, Galvanized and painted panels, ABS plastic frame corners, and aluminum filter rails, 6063-T5 aluminum extrusions
- 3 ton model: 0.13" w.c. @ 1200 CFM  
5 ton model: 0.18" w.c. @ 2000 CFM
- Ships in a compact, knock down package and field assembles in minutes for access to the tightest installation locations

**APPLICATION** Light commercial • Engineered to seamlessly integrate into the return air stream of upflow, horizontal, attic, and basement HVAC systems.

**RECOMMENDED FOR** • HVAC systems • Whole home air filtration • Reducing dust, dander, odors and other allergens





## HIGH EFFICIENCY MEDIA AIR CLEANERS

### Right Angle MAC

#### Media air cleaner

Code	Description	Qty
DF20060	1625 Right Angle Box Unit	1
DF20061	2025 Right Angle Media ACL	1

#### FEATURES

- MERV 11 performance
- Integrated 90° duct transition
- Includes adapter plate to fit different duct and equipment opening sizes to suit almost any application
- The filter access door is easily reversible to fit left-sided or right-sided return applications
- Easy filter size identification and quick filter media replacement
- Compatible with Dust Free® Furnace Riser for improved static pressure
- Sturdy 22-gauge painted steel cabinet.

**APPLICATION** • Dust Free's Right Angle Media Air Cleaner is the solution for media air cleaners that normally require a 90° transition to fit vertical furnace installations. The media air cleaner includes a MERV 11 filter that traps significantly more airborne particles than traditional disposable fiberglass filters

**RECOMMENDED FOR** • HVAC systems • All forced warm air furnaces and cooling systems up to 5 tons • Trapping household dust, pollen, and other allergens



### RNC MAC

#### Media air cleaner cabinet

Code	Description	Qty
DF20200	RNC 2020 Media Cabinet	1
DF20201	RNC 1628 Media Cabinet	1
DF20202	RNC 2028 Media Cabinet	1


#### FEATURES

- Tight cabinet fit ensuring minimal air bypass
- Heavy duty door designed for minimal air loss
- Quick and easy filter changes
- High quality 22-gauge galvanized steel
- Reversible air flow – horizontal or vertical

**APPLICATION** • Residential and Commercial

**RECOMMENDED FOR** • New construction media air cleaner without filters





## HIGH EFFICIENCY MEDIA AIR CLEANERS

### Dust Free® Platform MAC

Filtration and transition solution for space-constrained

Code	Description	Qty
DF12143	Dust Free Platform MAC 28" x 40"	1
DF12142	Dust Free Platform MAC 28" x 33"	1
DF12141	Dust Free Platform MAC 23" x 40"	1
DF12140	Dust Free Platform MAC 23" x 33"	1
<b>Replacement Filter</b>		
DF12589	MAC Replacement Filter MERV11 20" x 25"	5
DF12588	MAC Replacement Filter MERV11 20" x 20"	5

**APPLICATION** • Engineered for space-saving 90° duct transition to the furnace or air handler in vertical, bottom air-return installations.

**RECOMMENDED FOR** • Recommended for HVAC systems for whole home air filtration, reducing dust, dander, odors and other allergens.




For more information on our product limited warranty, visit [RectorSeal.com](http://RectorSeal.com)

#### FEATURES

- **High Efficiency:** MERV 11 performance captures dust, dander, smoke, pollen, and mold spores.
- **Space-Constrained Applications:** Space-saving 90° duct transition for vertical, bottom air-return installations.
- **Adaptable Duct Inlet:** Includes adapter plate for different duct and equipment opening sizes.
- **Dual Access Door Design:** Filter access doors on both sides of the unit allow for left or right hand return applications.
- **Easy Maintenance & Installation:** No separate transition installation required; easy filter access simplifies maintenance.





## COIL CLEANERS - EVAPORATOR

### Coil-Cure™

Strong disinfectant, self-rinsing coil cleaner

Code	Description	Qty
11070	18 oz. Aerosol	12

#### FEATURES

- EPA registered
- Disinfects against Canine Parvovirus
- Disinfects against Legionella pneumophila
- Effective via AOAC methodology against a wide variety of organisms
- Controls mold and mildew
- Cleans & deodorizes - No rinsing required
- Cuts grease and grime without scrubbing

**APPLICATION** • Non-abrasive, one-step disinfectant cleaner designed specifically for HVAC equipment in homes, nursing homes, institutions, offices, schools, motels and hotels.

#### RECOMMENDED FOR

- Disinfecting and cleaning A/C evaporator coils
- HVAC Catchpans • Floors • Walls
- Table tops

Coil-Cure has been added to the EPA list N as an EPA registered disinfectant with emerging viral pathogens AND human coronavirus claims for use against SARS-CoV-2.

EPA Reg. No. 44446-23-51219





A CSW Industrials Company

## HVAC DIVISION

RectorSeal provides industry-leading digital and print support materials for its extensive chemical and mechanical solutions that include:

- Technical Product Information
- Marketing Support Materials
- Engaging Product Demonstration Videos
- Informative SDS and Product Data Sheets
- On-demand and Live Training and Webinars
- Learning Management System (LMS) support via RectorSeal Academy
- Informative Distributor and Sales Representative Tools
- Industry-related Tradeshow and Events Information

For complete details, visit [www.rectorseal.com](http://www.rectorseal.com)

For the latest product enhancements, news, and updated information, please follow RectorSeal's social media channels.

-  [facebook.com/rectorseal](http://facebook.com/rectorseal)
-  [linkedin.com/company/rectorseal](http://linkedin.com/company/rectorseal)
-  [x.com/rectorseal](http://x.com/rectorseal)
-  [instagram/rectorseal](http://instagram/rectorseal)
-  [youtube.com/rectorsealcorp](http://youtube.com/rectorsealcorp)

All information is believed to be current at the time of printing, but our policy is one of continuous development. RectorSeal makes no warranties, express or implied, as to its accuracy. RectorSeal reserves the right to discontinue, update or change the information at any time without notice or without incurring obligations.

**RectorSeal®** • 2601 Spenwick Drive, Houston, TX 77055, USA • 713-263-8001 • [rectorseal.com](http://rectorseal.com)

RectorSeal®, the logos and other trademarks are property of RectorSeal, LLC, its affiliates or its licensors and are protected by copyright, trademark and other intellectual property laws, and may not be used without permission. RectorSeal reserves the right to change specifications without prior notice. ©2025 RectorSeal. All rights reserved. R50846 03/25